ADDENDUM ONE

2024 Roofing and Related Work at Various Locations for: Jennings County School Corporation 34 W Main Street North Vernon, Indiana 47265

MARTINRILEY architects • engineers 221 West Baker Street Fort Wayne, Indiana 46802 260-422-7994

Commission No.: F23097

Addendum Date: December 1, 2023

Conditions: The following clarifications, amendments, additions, deletions, revisions and modifications are a part of the contract documents and change the original documents only in the manner and to the extent stated.

Copies of the Addendum shall be bound with all contract sets of drawings and specifications.

Receipt: Addendum Number One shall be acknowledged by Bidders on their Bid Form.

CLARIFICATIONS:

N/A

CHANGES TO THE SPECIFICATIONS:

N/A

CHANGES TO THE DRAWINGS:

SHEET R111 - SAND CREEK ELEMENTARY PARTIAL ROOF PLAN - REMOVE AND REPLACE with Sheet R111 - Sand Creek Partial Roof Plan included with this Addendum One. This sheet shall replace the sheet included within the current construction documents.

SHEET R121 - PARTIAL ROOF PLAN - PLAN WORK DESCRIPTION BASE WORK - SCIPIO - NOTE 12 - **CHANGE TO READ** - EXG ROOF TOP UNITS (RTU) TO REMAIN. PROVIDE NEW 24 GA PREFINISHED GI SLIP FLASHING MECHANICALLY ATTACHED TO EXG CURB AT 12" C/C MAXIMUM, LEAVE PORTION OF EXISTING EPDM TO EXTEND OVER TOP OF NEW TERMINATION BAR. REMOVE EXISTING SPLIT SEAL TIGHT CONDUIT AT ALL ROOF TOP UNITS AND PROVIDE NEW NON-METALLIC TIGHT FLEXIBLE CONDUIT AND COMPRESSION FITTINGS AT ALL ROOF TOP UNITS, AREAS <2A> AND <2B> - SEE DETAIL 3/R124

SHEET R121 - PARTIAL ROOF PLAN - PLAN WORK DESCRIPTION BASE WORK - SCIPIO - **ADD NEW NOTE <22>** - EXISTING ELECTRICAL LINES TO REMAIN - WIRE BRUSH ALL EXISTING RUST FROM ALL ELECTRICAL LINES AND INSTALL (1) COAT OF RUSTOLEUM METAL PRIMER AND (1) COAT OF RUSTOLEUM METAL PAINT (TO MATCH EXISTING ELECTRICAL LINE COLOR), AREAS <2A> AND <2B>

SHEET R121 - PARTIAL ROOF PLAN - PLAN WORK DESCRIPTION BASE WORK - SCIPIO - **ADD NEW NOTE <23>** - REMOVE EXISTING LIGHT, WIRING AND CONDUIT BACK TO EXISTING PANEL, INFILL OPENING WITH NEW BRICK VENEER AND MORTAR TO MATCH EXISTING BRICK, AREA N.I.C - SEE ATTACHED SHEET ADD 1-1

END OF ADDENDUM NUMBER ONE

Attachments: Prebid Meeting Minutes Prebid Attendee List Sheet R111 Sheet ADD 1-1

W:\2023 Projects\F23097 JCS 2024 Rfg Rel Wrk Var Schls\Project Management\05-Bidding\Addendum One\Addendum One.doc



PREBID MEETING MINUTES

Project: 2024 Roofing and Related Work at Various Locations for:

Jennings County School Corporation

Meeting Date: November 30, 2023

Commission No: F23097

I. Design Team Introduction:

1. Philip Marsh, Business Manager - Ph: 812-346-4483 x1028, pmarsh@jcsc.org

2. Roy Herr, Director of Buildings & Grounds - Ph: 812-352-1921, rherr@jcsc.org

3. Craig Lee, Director of Maintenance - Ph: 812-346-4483 x1049, craiglee@jcsc.org

4. Clarence White, Project Manager, MARTINRILEY architects-engineers - Ph: 260-422-7994

a. Office: 260-203-2312b. Cell: 260-445-7332

c. Email: <u>CWhite@Martin-Riley.com</u>

II. Scope of Work:

The Scope of roofing work includes roof projects identified as Project R-1

PROJECT R-1

- 1. Base Work R-1:
 - a. Sand Creek Elementary: The removal of the existing fully adhered flexible sheet roof system down to the deck on roof area <4> and replacement with new 90 mil flexible sheet roof system, and Window Repairs as identified on the contract documents at Sand Creek Elementary School
 - b. Scipio Elementary School: The removal of the existing fully adhered flexible sheet roof system down to the deck on areas <2A> and <2B> and replacement with new 90 mil flexible sheet roof system as identified on the contract documents at Scipio Elementary School,

III. Units prices

1. Unit Prices are specific to this project and are included on the Contractor's Bid Supplement to Form 96.

IV. Timeline

 Address all questions to MARTINRILEY by 5pm Wednesday, December 13, 2023 in order to fairly disseminate all information to all bidders in the Addendum date of issuance of Thursday, December 14, 2023. Be certain all questions have been asked, as the submission of bids by the contractor suggests there are no questions regarding ambiguity and are submitting bids that will result in a complete project. Failure to do so will result in contractor's compliance with the Owner or Architects interpretation, at no contract increase.

- 2. Bids are due at Jennings County School Corporation's Administration Building, located at 34 West Main Street, at the following dates/times.
 - a. Project R-1 Bids are Due at 12:00pm, Thursday, December 21st, 2023
- 3. Bids will be opened and read immediately after submission of proposals at the Administration Building conference room.
- 4. Board approval will occur within 60 days of bid opening, and a notice to proceed with precontractual documents and submittals/shop drawings thereafter.
 - a. Expectation is that Board review will take place January 11, 2023.
- 5. It is the intent of the owner to have work start after May 27, 2024 and have work completed prior to August 5, 2024

V. Additional items

- 1. Bidders may obtain bidding documents from Eastern Engineering, 9901 Allisonville Rd, Fishers, IN 317-598-0661.
- The owner reserves the right to accept or reject any and all bids and to waive any informalities in bidding.
- Questions relating to the project should be directed to Clarence White, at the office of MARTINRILEY architects-engineers
- 4. All bids shall be accompanied by the following completed documents:
 - a. Form 96 (Current Edition) as prescribed by Indiana State Board of Accounts
 - b. Contractor's Bid Supplement to Form 96
 - c. 5% Bid bond
 - d. Cert of Insurance
 - e. List of Subcontractors (if any)
 - f. Non-Collusion Affidavit
 - g. Schedule of Construction and Material Procurement
- 5. Performance Bond and Labor and Material Payment bond will be required for these projects in an amount equal to **100%** of the contract sum.
- 6. Abide by rules and regulations on each project site identified in the project manual
- 7. A Pre-construction Conference will be held prior to any commencement of work.
- 8. Contractor shall file a schedule of the wages to be paid laborers, workmen or mechanics on this project
- 9. General Conditions shall be AIA Document A201, 2007 Edition, entitled, "General Conditions of the Contract for Construction" included within the Project Manual
- 10. Insurance guidelines are outlined in the project manual see AIA Document A101 2017 Exhibit A Insurance and Bonds.
- 11. Refer to Payment Procedures in the project manual for all application for payment requirements
- 12. Shop drawing submittal procedures are clearly identified in the project manual
- 13. The owner intends to continue to occupy the site and existing building the entire construction period
- 14. The Contractor will have limited use of premises, including the site. Keep all driveways and entrances clear. Do not use these areas for parking or material storage.
- 15. Any damage to building or site incurred due to the roofing operations are the responsibility of the Contractor to repair back to the original condition.
- 16. See section 01 1000 Summary of Work for work sequence.
- 17. See section 01 2100 Allowances for contingency allowances to be included in Base Work Bids.
 - a. Project R-1: \$10,000
- 18. Refer to section 01 7000 Closeout Procedures for submission for final application for payment with releases and supporting documentation. As part of these closeout procedures the contractor is responsible to generate a punch list and submit it to the architect prior to **MARTINRILEY** generating a punch list.

- 19. It will be the Contractor's responsibility to photograph or videotape any existing conditions of adjoining construction and site improvements that might be misconstrued as damage caused by selective demolition operations.
- 20. It will be the Contractor's responsibility to provide temporary barricades and/or forms of protection to protect Owner's personnel and general public from injury due to selective domlition work.
- 21. Contractor is also responsible for daily interior inspections to verify the presence of water infiltration (if any), need for interior clean-up.
- 22. Water and electricity are available for the contractor to use at the Owners discretion. Toilet and wash facilities are the responsibility of the contractor see section 01500 Temporary Facilities and Controls in the project manual
- 23. It shall be the responsibility of the Contractor to verify the presence and location of latent buried objects within a roofing system. Contractor shall repair any damage to buried elements as a result of the removal operations at the cost of the Owner. Any succeeding occurrences of identical events shall be the responsibility of the Contractor to repair at his own cost.
- 24. Electrical equipment to be raised shall be completed by the Contractor with electrical disconnect and reconnect performed by qualified personnel.
- 25. No illegal immigrants or individuals with felony convictions are allowed to work on premises. Prior to start of work provide owner with a certified background check of all workers on site including subcontractors who will be vendors. The owner reserves the right to refuse any person access to the site they deem unsafe to students and staff.

VI. Review Drawings

1. Drawings for Project R-1

W:\2023 Projects\F23097 JCS 2024 Rfg Rel Wrk Var Schls\Project Management\05-Bidding\Prebid Meeting Minutes.doc

PRE-BID ATTENDEE LIST

2024 Roofing and Related Work at Various Locations for: Jennings County School Corporation

2023 at 1:00pm, local time, at the JCSC Administra	ndance at the Pre-Bid held Thursday, November 30, ation Building, 34 West Main Street, North Vernon,
Indiana 47265	
(printed name)	(cignature)
	(signature)
MARTIN FILEM, NC. (firm/company)	1260444 COLOS AS MONOMARAN-TIVES (phone, fax & e-mail)
CLARENCE WHITE (printed name)	(signature)
Manager MIEV TWO	20 + 11/15-7733 COLIC OLIC TON THE
MARTIN - RFLEY TRY (firm/company)	(phone, fax & e-mail)
Kyle K. Ludy (printed name)	(signature)
(printed name)	(signature)
SPG Roofing E Exteriors (firm/company)	317.707.6637 kludy @ spgvoof.com (phone, fax & e-mail)
Philip Mode (printed name)	P. M.
	(signature)
J CSC	812-167-6041 PMOIDL Q (CSC. 019
(firm/company)	(phone, fax & e-mail)
Brian Gottschalk (printed name) Has Building Sys Masonry (firm/company) Restoration	
(printed name)	(signature)
Has Building Sus MASONY	240-414-9430
(firm/company)	(phone, fax & e-mail)
JASON PRAIRIE	gason for
(printed name)	(signature)
CHIATELLO CONSTRUCTION	219-322-9320
(firm/company)	JFCHIATIELLO (O) GNAIL, COM

K 17	
Flevin Humpson	/7m///
South Central routing (firm/company)	(signature)
South Central routing	(phone, fax & e-mail)
(firm/company)	(phone, fax & e-mail)
Rol Herr	goy Herr
(printed name)	(signature)
JC5C	812-592-1245
(firm/company)	(phone, fax & e-mail)
(printed name)	(signature)
(firm/company)	(phone, fax & e-mail)
(printed name)	(signature)
(firm/company)	(phone, fax & e-mail)
(printed name)	 (signature)
(princed name)	(signature)
(firm/company)	(phone, fax & e-mail)
(printed name)	 (signature)
,	(3
(firm/company)	(phone, fax & e-mail)
(printed name)	(signature)
(firm/company)	(phone, fax & e-mail)
(printed name)	(signature)
(1	(2.3
(firm/company)	(phone, fax & e-mail)

WOOD NAILERS ARE TO BE INSTALLED IN ACCORDANCE WITH ANSI-SPRI ES1 2011. APPROPRIATE WIND LOAD SAFETY FACTORS ARE TO BE USED BASED ON THE TABLE BELOW

WIND LOAD SAFFTY FACTORS

ND LOAD	SAFETT FACTORS
WOOD	4.5
MASONRY	3.0
OTEEI	1.0

5 Existing Conditions
N.T.S.

ETHYLENE PROPYLENE DIENE

ETHYLENE PROPYLENE DIENE

TAPERED POLYISOCYANURATE INSULATION MECHANICALLY

1 1/2" TYPE B METAL DECK

ATTACHED - 2" START THICKNESS

MONOMER (EPDM)

MONOMER (EPDM)


SMOOTH


SURFACE:

MEMBRANE:

INSULATION:

VAPOR BARRIER: N/A





General Notes

- CONTRACTOR AND/OR SUBCONTRACTORS SHALL NOT STAGE, TRAFFIC, AND/OR STORE MATERIALS ON EXISTING ROOF SYSTEMS THAT ARE NOT PART OF THIS WORK, AS NOTED ON ROOF PLANS. IF APPROVED BY OWNER/ARCHITECT TO STORE MATERIALS OR TRAFFIC OVER N.I.C. ROOF AREAS, PROVIDE PROTECTION BOARD (1/2" PLYWOOD OVER 2" XPS).
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL DIMENSIONS AND DETAILS THAT AFFECT
- CONTRACTOR STAGING AREA SHALL BE KEPT CLEAN AND ORGANIZED.
- PROVIDE PROTECTIVE BARRIER BENEATH ANY ROOFING VEHICLES OR EQUIPMENT TO PREVENT DAMAGING AND/OR STAINING OF EXISTING ASPHALT OR CONCRETE WALK WAYS.
- CONTRACTOR SHALL DOCUMENT (PHOTOGRAPH AND MARK ON SITE PLAN) EXISTING DEFECTS AND/OR DAMAGE TO EXISTING WALK WAYS PRIOR TO COMMENCEMENT OF WORK. A COPY OF EXISTING CONDITIONS DOCUMENTATION SHALL BE PROVIDED TO ROOF CONSULTANT FOR RECORDS.
- CONTRACTOR RESPONSIBLE FOR PROTECTING AND REPAIRING ALL LANDSCAPING DAMAGED DUE TO CONSTRUCTION UP TO EXISTING CONDITION OR BETTER

- REMOVE EXISTING (EXG) ETHYLENE PROPYLENE DIENE MONOMER (EPDM) ROOFING, INSULATION, FLASHINGS (FLG), STRIPPINGS. INSPECT EXG METAL DECK FOR DAMAGE OR DETERIORATION AND
- REMOVE EXG ABANDONED (ABD) CURBS. COVER HOLE IN DECK WITH NEW METAL DECKING TO MATCH EXISTING AND EXTEND TO NEAREST STEEL JOISTS ON BOTH SIDES OF ABANDONED EQUIPMENT. MECHANICALLY FASTEN AROUND PERIMETER 6" C/C MAX, AREA <4>
- REMOVE ALL EXG PIPE SEAL (PS). PROVIDE NEW MANUFACTURERS 30 YR FIELD FABRICATED PIPE
- REMOVE EXISTING SKYLIGHT (SKY) AND LEAVE EXISTING SKYLIGHT CURB. PROVIDE NEW SQUARE PYRAMID METAL FRAMED TRANSLÚCENT SKYLIGHT, AREA <4> - SEE DETAIL 6/R112
- REMOVE EXISTING METAL COPING AND ALL ACCESSORIES IN THEIR ENTIRETY. PROVIDE NEW PREFINISHED GI COPING WITH CONTINUOUS GI COPING CLIP, AREA <4> - SEE DETAIL 4/R111 AND
- REMOVE FOUR (4) COURSES OF EXISTING BRICK, MORE AS NEEDED, TO BE SALVAGED AND REINSTALLED AND/OR REPLACED WITH NEW BRICK (TO MATCH EXISTING) TO ACCOMMODATE 24 GA STAINLESS THRU-WALL REGLET RECEIVER. PROVIDE NEW TERMINATION BAR, FLEXIBLE
- CUT/SCRAPE AND/OR GRIND OUT ALL SEALANTS, BACKER ROD, DIRT, DEBRIS AND OTHER DELETERIOUS MATERIALS FROM ALL SURFACES AT EXISTING VERTICAL MASONRY EXPANSION JOINTS (MEJ). COLLECT ALL DEBRIS AND DISPOSE OF. SAW CUT BRICK 1/2" MINIMUM TO PROVIDE UNIFORM GAP ALONG JOINT AND PROVIDE NEW BACKER ROD AND NEW TOOLED URETHANE SEALANT, AREA <5>
- RESET ALL EXISTING (RD) CLAMPING RINGS AND STRAINERS IN NEW FLEXIBLE SHEET ROOFING FLG. REMOVE AND REPLACE ANY MISSING AND/OR BROKEN COMPONENTS WITH NEW CAST IRON COMPONENTS, REPLACE ALL PLASTIC STRAINERS WITH NEW CAST IRON STRAINERS, AREA <4> - SEE
- PROVIDE NEW MECHANICALLY ATTACHED 1/8":12" TAPERED POLYISOCYANURATE INSULATION (START THICKNESS 2.5" - ADD MINIMUM 2" BASE LAYER AT BOTTOM OF SYSTEM) (AVG R = 21.73), NEW ADHESIVELY ADHERED COVER BOARD (R=0.28) AND NEW ADHESIVELY ADHERED FLEXIBLE SHEET ROOFING (IEA-FSR), AREAS <4> - SEE DETAIL 3/R111
- PROVIDE NEW 1/4:12 TAPERED INSULATION SADDLES WITH 6" TAPERED EDGE STRIP, AREA <4>
- PROVIDE NEW FLEXIBLE SHEET ROOFING (FSR) FLASHINGS AND STRIPPINGS, AREA <4>
- CUT/SCRAPE/CLEAN OUT ALL EXISTING SEALANT, MASTIC, BACKER ROD, BOND BREAKER TAPE AND OTHER DELETERIOUS MATERIALS, COLLECT AND DISPOSE OF WINDOW GASKETS TO REMAIN. PROVIDE NEW BOND BREAKER TAPE AND NEW TOOLED URETHANE SEALANT (DOW CORNING 795 SEALANT) AT EACH IDENTIFIED WINDOW BAYS ((11 BAYS (2 WINDOWS PER BAY)) AS IDENTIFIED ON

Plan Work Description Notes Base Work - Sand Creek

- REPORT CONDITIONS TO ROOF CONSULTANT, AREA <4> SEE EXISTING CONDITIONS 5/R111
- WRAP, AREA <4> SEE DETAIL 4/R112
- INSTALLATION OF NEW POLYMER FABRIC COATED STAINLESS STEEL THRU-WALL FLASHING AND NEW FLASHING, SEALANT AND WEEP VENTS AT 16" C/C, AREA <5> - SEE DETAIL 2/R112 AND 4/R112
- SEE DETAIL 3/R112
- EXISTING LADDER TO REMAIN. PROVIDE NEW SLIP RESISTANT EPOXY COATING WITH GRANULE EMBEDMENT ON LADDER RUNGS. PROVIDE (8) NEW 24" X 24" X 2" INTERLOCKING RUBBER WALKWAY PADS (WP) AS INDICATED ON ROOF PLAN, AREAS <4>
- EXISTING OVERFLOW PIPE TO REMAIN CUT DOWN BELOW ROOF DECK AND INSTALL A NEW CAST IRON OVERFLOW CLAMPING RING - INSULATE OVERFLOW DRAIN BOWL. PROVIDE NEW CAST - IRON STRAINER, AREA <4> - SEE DETAIL 7/R112
- DETAIL 7/R112
- ROOF KEY PLAN SEE PHOTOS 1/R113, 2/R113, 3/R113 SEE DETAILS 3/R112 AND 4/R113



Corporation

School


County

Jennings

architects-engineers 221 West Baker Street Fort Wayne, Indiana 46802


TEL. 260.422.7994

FAX. 260.426.2067



Added Thru-wall Dimension 12-1-2023 Moved Existing MEJ to Correct 12-1-2023
Position and Added 2 Missing existing MEJ

 $\langle 2 \rangle$



REMOVE EXISTING LIGHT,
WIRING AND CONDUIT BACK TO
EXISTING PANEL, AND INFILL
OPENING WITH NEW BRICK
VENEER AND MORTAR TO
MATCH EXISTING BRICK



CHEET TITLE.

PHOTO OF LIGHT REMOVAL - SCIPIO ELEMENTARY

TITLE

Jennings County School Corporation

CIT

TY STATE

34 Main Street North Vernon, IN 47265

DRAWN BY:	CLVV
DATE:	12/01/23
COMMISSION NUMBER:	F23097
REVISION:	DATE:

ADD 1 - 1